

4217 FIRST AID KIT - 4217 first aid kit
Honeywell Safety Products USA, INC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

4217 First Aid Kit (1st aid Sp, EW, ASA, amm. Inh, BZK wipe- 340420F)

Eyewash

Active ingredient

Sterile Water 99%

Eyewash

Purpose

Eyewash

Eyewash

Uses

- for flushing the eye to remove loose foreign material, air pollutants or chlorinated water

Eyewash

Warnings

For external use only Obtain immediate medical treatment for all open wounds in or near eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard.

Do not use

- if solution changes color or becomes cloudy
- if you have open wounds in or near the eyes, get medical help right away.

Stop use and ask a doctor if

- you experience eye pain
- changes in vision
- continued redness or irritation of the eye
- condition worsens or persists

Keep out of reach of children

- If swallowed, get medical help or contact a Poison Control Center right away.

Eyewash

Directions

- remove contacts before using
- twist top to remove
- flush the affected area as needed
- control rate of flow by pressure on the bottle
- if necessary, continue flushing with emergency eyewash or shower

Eyewash

Inactive ingredients

sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic

Eyewash

Questions

1-800-430-5490

Aspirin

Active ingredient (in each tablet)

Aspirin 325 mg (NSAID)* *nonsteroidal anti-inflammatory drug

Aspirin

Purpose

Pain reliever/fever reducer

Aspirin

Uses

temporarily reduces fever and relieves minor aches and pains associated with:

- a cold
- headache
- toothache
- muscular aches
- backache
- minor pain of arthritis
- premenstrual and menstrual periods

Aspirin

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Aspirin may cause a severe allergic reaction which may include:

- hives
- facial swelling
- asthma (wheezing)
- shock

Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you:are:

- age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcoholic drinks every day while using this product

- take more or for a longer time than directed

Do not use

- if you are allergic to aspirin or any other pain reliever/fever reducer

Ask a doctor before use if

- stomach bleeding warning applies to you
- you have a history of stomach problems such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis or kidney disease
- you are taking a diuretic
- you have asthma

Ask a doctor or pharmacist before use if you are

- taking a prescription drug for diabetes, gout or arthritis

Stop use and ask a doctor if

- you experience any of the following signs of stomach bleeding:
- feel faint
- vomit blood
- have bloody or black stools
- have stomach pain that does not get better
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present in the painful area
- ringing in the ears or loss of hearing occurs
- any new symptoms appear

If pregnant or breast-feeding,

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin during the last three months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children.

- In case of overdose, get medical help or contact Poison Control Center right away.

Aspirin

Directions

- drink a full glass of water with each dose
- adults and children 12 years of age and older: take 1 or 2 tablets every 4 hours while symptoms last, not more than 12 tablets in 24 hours
- children under 12 years of age: consult a doctor

Aspirin

Other information

- store at room temperature 15° - 30°C (59° - 86°F)
- TAMPER EVIDENT PACKETS
- DO NOT USE IF OPEN OR TORN

Aspirin

Inactive ingredients

corn starch, croscarmellose sodium*, hypromellose*, microcrystalline cellulose*, mineral oil*, polyethylene glycol*, povidone, propylene glycol, silicon dioxide, stearic acid*, titanium dioxide*

*may contain these ingredients

Aspirin

Questions or Comments

1-800-430-5490

Ammonia

Active ingredient

Ammonia 15%

Ammonia

Purpose

Respiratory stimulant

Ammonia

Uses

- to prevent or treat fainting

Ammonia

Warnings

For external use only

Do not use

- if you have breathing problems such as asthma or emphysema

Stop use and ask a doctor if

- condition persists

Keep out of reach of children

- If swallowed get medical help or contact a Poison Control Center right away.

Ammonia

Directions

- hold inhalant away from face and crush ampoule between thumb and forefinger at position indicated on sleeve.
- hold near nostrils for inhalation of volatile vapor

Ammonia

Other information

- store at room temperature away from light

Ammonia

Inactive ingredient

alcohol USP, FD&C red #40, lavender oil, lemon oil fcc, nutmeg oil, purified water

Ammonia***Questions or Comments?***

1-800-430-5490

BZK Wipes***Active ingredient***

Benzalkonium chloride 0.13% w/v

BZK Wipe***Purpose***

First aid antiseptic

BZK Wipes***Uses***

- Antiseptic cleansing of face, hands, and body without soap and water

BZK Wipes***Warnings*****For external use only****Do not use**

- in the eyes or over large areas of the body
- on mucous membranes
- on irritated skin
- in case of deep puncture wounds, animal bites or serious burns, consult a doctor
- longer than 1 week unless directed by a doctor

Stop use and ask a doctor if

- if irritation, redness or other symptoms develop
- the condition persists or gets worse

Keep out of reach of children

- If swallowed, get medical help or contact a Poison Control Center right away.

BZK Wipe***Directions***

- tear open packet and use as a washcloth

BzK Wipe***Other information***

- store at room temperature 15⁰ to 30⁰ C (59⁰ - 86⁰ F)
- do not reuse towelette

BZK Wipe
Inactive ingredient

water

BZK Wipe
Questions

1-800-430-5490

Water Soluble 1st Aid Spray

Active ingredient

Benzethonium chloride 0.2% w/w - Benzocaine 10% w/w

Water Soluble 1st Aid Spray

Purpose

Topical antiseptic

Topical anesthetic

Water Soluble 1st Aid Spray

Uses

for temporary relief of pain and itching and helps protect against infection in

- minor cuts and scrapes
- insect bites
- minor skin irritations

Water Soluble 1st Aid Spray

Warnings

For external use only

Flammable

- keep away from fire or flame
- contents under pressure
- do not puncture or incinerate container
- do not expose to temperature above 120 0 F

Do not use

- in the eyes or other mucous membranes
- in cases of serious burns
- in case of deep or puncture wounds
- for a prolonged period of time
- on large portion of the body

Stop use and ask a doctor if

- condition worsens or symptoms persist for more than 7 days
- condition clears up and occurs again within a few days
- redness, swelling, or irritation occurs

Keep out of reach of children

- If swallowed, get medical help or contact a Poison Control Center right away

Water Soluble 1st Aid Spray**Directions**

- clean the affected area
- shake can well before using
- hold 4 - 6 inches from surface and spray area until wet
- may be covered with a sterile bandage. If bandaged, let dry first
- for adult institutional use only
- not intended for use on children

Water soluble 1st Aid spray**Other information**

- avoid inhaling
- use only as directed
- intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal

Water Soluble 1st Aid spray**Inactive ingredients**

dipropylene glycol, isobutane, N-butane, propane

4217

340420F KIT CONTENTS

1 INSTANT COLD PACK 4" X 6"
1 ADHESIVE TAPE W/P 1/2"X 5 YD
1 ADH BDG, CLOTH, 1"X3", 16 PER
1 FIRST AID GUIDE ASHI
1 GAUZE CLEAN-WRAP BDGE N/S 2"
1 FIRST AID SPRAY AEROSOL 3 OZ
1 4OZ BFS EYEWASH TRILINGUAL BOTTLE
1 SCISSOR BDGE 4" RED PLS HDL
1 KIT TWEEZER 3 1/2" SLANTED
1 BANDAGE COMP 3" W/TELFA PAD 2
4 BZK ANTISEPTIC WIPE, BULK
1 PR LRG NITRILE GLVES ZIP BAG
1 KIT STL 16 UN (HORIZONTAL)
TRI BNDG NON WOVEN 40"X40"X56"
10 NON ADHERENT PAD 2" X 3"
1 WOVEN KNUCKLE 8'S
1 FINGERTIP "T" 8/BX
3 ASPIRIN BULK 2/PK
2 AMMONIA INHALANT, BULK

Eyewash**Principal Display Panel**

Honeywell

TAMPER-EVIDENT CAP.
TAPA CON SELLO DE SEGURIDAD.
BOUCHON INDICATEUR D'INFRACTION.

eyesaline®

LAVAOJOS
EYESALINE

EYESALINE
EYEWASH

LAVAGE
OCULAIRE
EYESALINE

Solución
Isotónico Estéril

Sterile
Isotonic Solution

La Solution
Isotonique Stérile

16 fl. oz. (473 mL)



Drug Facts (for USA only)

Active ingredient Sterile water 99% **Purpose** Eyewash

Uses

For external use only - Obtain immediate medical treatment for all open wounds in or near the eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard.

Do not use

- if solution changes color or becomes cloudy
- if you have open wounds in or near the eyes, get medical help right away

Stop use and consult a doctor if:

- you experience eye pain • changes in vision
- continued redness or irritation of the eye
- condition worsens or persists

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- remove contacts before using • twist top to remove
- flush the affected area as needed
- control rate of flow by pressure on the bottle
- if necessary, continue flushing with emergency eyewash or shower

Inactive ingredients

sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic

Questions? Call 1-800-430-5490

LABEL #32-20450 Rev J

REORDER / NUEVO PEDIDO / RÉAPPROVISIONNEMENT #32-20450 Rev J

space for lot code and supplier part number

PEEL / PELAR / PELEAR

Datos de medicamento (Para EE.UU. solamente)

Ingrediente Activo Agua estéril 99% **Propósito** Lavajos

Usos

Para el lavado de ojo para quitar las partículas sueltas y extrañas, los contaminantes aéros, o agua de cloruro.

Advertencias

Para el uso externo sólo - Obtenga tratamiento médico inmediato para todas las heridas abiertas en o cerca de los ojos. Para evitar la contaminación, no toque la punta del envase con ninguna superficie. No vuelva a usar. Vez abierto, descarte.

No se use

- si la solución se enturbia o cambia de color
- si tiene heridas abiertas en o cerca del ojo, obtenga ayuda médica de inmediato

Deje de usar y consulte a un médico si:

- experimenta dolor de ojo • cambio de visión
- rojez continuo o irritación del ojo
- la condición empeora o persiste

Manténgase fuera del alcance de los niños.

En caso de ingestión accidental, obtenga atención médica o llame a un Centro de control de envenenamiento inmediatamente.

Instrucciones

- quitese los lentes de contacto antes de usar la solución
- tuerza la tapa para quitar
- enjuague el área afectada según se necesite
- controle el chorro haciendo presión en la botella
- si es necesario, sigue enjuagando con un lavajos o ducha de emergencia

Ingredientes inactivos

cloruro de sodio, fosfato de sodio dibásico, fosfato de sodio monobásico

¿Preguntas? Llame al 1-800-430-5490

Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

Information

Usages

Pour le rinçage des yeux afin d'enlever un corps étranger, des polluants atmosphériques ou de l'eau chlorée.

Advertissements

Pour usage externe seulement - Obtenir immédiatement des soins médicaux pour toutes les plaies ouvertes dans ou près des yeux. Pour éviter toute contamination, ne pas toucher la pointe du récipient à n'importe quelle surface. Ne pas réutiliser. Une fois ouvert, jetez-les.

Ne pas utiliser

- si la solución a cambiado de color o si ella est borriola
- si vous avez de plases ouvertes aux yeux ou a proximite, consultez immédiatement un medecin

Cesser d'utiliser la solution et consulter un medecin

- vous ressentez une douleur oculaire • si votre vision change
- rougeur ou irritation persistante des yeux
- condition empire ou persiste

Garder hors de la portée des enfants.

En cas d'ingestion, communiquer immédiatement avec un médecin ou avec un centre antipoison.

Mode d'emploi


- enlever les verres de contact avant l'utilisation • dévisser le bouchon pour l'enlever
- rincer la zone touchée selon les besoins • ajuster le débit d'écoulement de la solution en augmentant ou en réduisant la pression exercée sur le contenant
- si nécessaire, continuer de rincer avec unesolution de rinçage oculaire d'urgence ou una douche

Ingrediente eau stérile, chlorure de sodium, phosphate dibásico de sodio, phosphate monobásico de sodio

Des questions? Faites le 1-800-430-5490



Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

Aspirin
Principal Display Panel





Ammonia Principal Display Panel

796006 Rev. E Unit Carton Printing Plate for "A" size carton.



796006 Rev. E (page 3 of 3)

Principal Display Panel



Water Soluble 1st Aid Spray Principal Display Panel

SHAKE WELL BEFORE USING

Honeywell FIRST AID ANTISEPTIC SPRAY

Water soluble
Benzethonium chloride
Topical antiseptic
Benzocaine
Topical anesthetic

Helps prevent infection and
relieves pain.

CAUTION: FLAMMABLE
Contents under pressure
Read warning on back panel.

NET WT. 3 OZ (85gm.)

47.0303

Cat. No. 151019

DRUG FACTS

Active ingredients

Benzethonium chloride 0.2% w/w.....Topical antiseptic
Benzocaine 10% w/w.....Topical anesthetic

Purpose

- for the temporary relief of pain and itching and helps to protect against infection in
• minor cuts and scrapes • insect bites • minor skin irritations

Warnings

For external use only

Flammable • keep away from fire or flame • contents under pressure
• do not puncture or incinerate container • do not expose to temperatures above 120°F

Do not use • in or near eyes or other mucus membranes • in case of serious burns
• in case of deep or puncture wounds • for a prolonged period of time
• on large portion of the body

Stop use and ask a doctor if:

- conditions worsens or symptoms persist for more than 7 days
- condition clears up and recurs within a few days
- redness, swelling, or irritation occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • clean the affected area • shake can well before using
• hold 4-6 inches from surface and spray area until wet
• may be covered with a sterile bandage. If bandaged, let dry first
• for adult institutional use only • not intended for use on children

Other information • avoid inhaling • use only as directed

• intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal

Inactive ingredients dipropylene glycol, isobutane, n-butane, propane


Questions or comments? 1-800-430-5490



Distributed by
Honeywell Safety
Products USA, Inc.
Smithfield, RI 02917

Honeywell

4217 Kit Label
340420F



FIRST AID

Each Kit Contains

8 FINGERTIP BANDAGES	1 TAPE ½" X 5 YD
16 1" X 3" WOVEN STRIPS	1 2" GAUZE ROLL
8 KNUCKLE BANDAGES	6 ASPIRIN
1 TRIANGULAR BANDAGE	6 ANTISEPTIC WIPES
1 COLD PACK	10 2" X 3" PADS
2 3" BANDAGE COMPRESS	1 FIRST AID BOOK
1 EYE WASH 4 OZ	1 TWEEZER
2 AMMONIA INHALANTS	1 SCISSOR
1 FIRST AID SPRAY 3 OZ	1 PAIR GLOVES

**AUTO/TRUCK
STANDARD**

Part Number 34-0420F

Distributed by Honeywell Safety Products USA, Inc Smithfield, RI 02917

4217 FIRST AID KIT

4217 first aid kit kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4217
--------------	----------------	--------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4217-01	1 in 1 KIT; Type 0: Not a Combination Product	10/18/2018	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE	118 mL
Part 2	4 PACKET	5.6 mL
Part 3	3 PACKET	6
Part 4	2 AMPULE	0.6 mL
Part 5	1 CAN	85 g

Part 1 of 5

EYESALINE EMERGENCY EYEWASH

purified water liquid

Product Information

Item Code (Source)	NDC:0498-0100
Route of Administration	OPHTHALMIC

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	98.6 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0100-02	118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part349	12/18/2018	

Part 2 of 5

ANTISEPTIC TOWELETTE

benzalkonium chloride liquid

Product Information

Item Code (Source)	NDC:0498-0501
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0501-00	1.4 mL in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333E	12/21/2017	

Part 3 of 5

ASPIRIN

aspirin tablet

Product Information

Item Code (Source)	NDC:0498-0114
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	325 mg

Inactive Ingredients

Ingredient Name	Strength
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
STARCH, CORN (UNII: O8232NY3SJ)	
POVIDONE (UNII: FZ989GH94E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
HYPROMELLOSE 2208 (100 MPAS) (UNII: B1QE5P712K)	
MINERAL OIL (UNII: T5L8T28FGP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

Product Characteristics

Color	white	Score	2 pieces
Shape	ROUND	Size	10 mm
Flavor		Imprint Code	FR21
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0114-01	2 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	09/18/2018	

Part 4 of 5

AMMONIA INHALENT

ammonia inhalent inhalant

Product Information

Item Code (Source)	NDC:0498-3334
Route of Administration	RESPIRATORY (INHALATION)

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AMMONIA (UNII: 5138Q19F1X) (AMMONIA - UNII:5138Q19F1X)	AMMONIA	0.045 g in 0.3 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-3334-00	0.3 mL in 1 AMPULE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

Part 5 of 5

FIRST AID ANTISEPTIC WATER SOLUBLE

benzethonium chloride, benzocaine spray

Product Information

Item Code (Source)	NDC:0498-0031
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZETHONIUM CHLORIDE (UNII: PH41D05744) (BENZETHONIUM - UNII:1VU15B70BP)	BENZETHONIUM CHLORIDE	0.2 g in 100 g
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	10 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
ISOBUTANE (UNII: BXR49TP611)	
BUTANE (UNII: 6LV4FOR43R)	
PROPANE (UNII: T75W9911L6)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0031-40	85 g in 1 CAN; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333E	09/19/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/18/2018	

Labeler - Honeywell Safety Products USA, INC (079287321)

Establishment

Name	Address	ID/FEI	Business Operations
James Alexander		040756421	manufacture(0498-3334)

Establishment

Name	Address	ID/FEI	Business Operations
Honeywell Safety Products USA, INC		079287321	pack(0498-4217)

Establishment

Name	Address	ID/FEI	Business Operations
Ultra Seal Corporation		085752004	manufacture(0498-0114)

Establishment

Name	Address	ID/FEI	Business Operations
Dixon Investments		115315822	manufacture(0498-0031)

Establishment

Name	Address	ID/FEI	Business Operations
Honeywell Safety Products USA, Inc.		167518617	manufacture(0498-0100)

Establishment

Name	Address	ID/FEI	Business Operations
Changzhou Maokang Medical		421317073	manufacture(0498-0501)

Revised: 3/2019

Honeywell Safety Products USA, INC